Author index

Açar, R *see* Jennen, D G J
Acland, G *see* Sidjanin, D J
Aguirre, G D *see* Sidjanin, D J
Ajmone-Marsan, P, Negrini, R, Milanesi, E, Bozzi, R, Nijman, I J, Buntjer, J B, Valentini, A & Lenstra, J A. Genetic distances within and across cattle breeds as indicated by biallelic AFLP markers, 280
Al-Barody, M *see* Hill, E W
Albera, A *see* Di Stasio, L D
Alcivar-Warren, A *see* Pascual, I
Alexander, L J *see* Korwin-Kossakowsa, A
see also McCoard, S A
Alexander, L J *see* Krause, E
Ali, M J *see* Mariasegaram, M
Alves, P C *see* Esteves, P J
Amaral, M E J *see* Roncoleta, M
Amills, M *see* Clop, A
Andersson, L *see* Knott, S A
see also Park, H B
Andersson-Eklund, L *see* Knott, S A
André, C *see* Rak, S G
Antoniou, E & Gallagher, D. Chromosomal assignment of the bovine ubiquitin-conjugating enzyme E2I (*UBE2I*) gene to BTA6q34 defines a new fragment of conserved synteny with human chromosome 16, 388
Archibald, A L *see* Brown, J F
see also Gibson, J P
see also Stratil, A
Arruga, M V *see* Pascual, I
Asakawa, S *see* Fujisaki, S
Ashwell, M S, Sonstegard, T S, Kata, S & Womack, J E. A radiation hybrid map of bovine chromosome 27, 75
Atzmon, G, Cassuto, D, Lavi, U, Cahaner, A, Zeitlin, G & Hillel, J. DNA markers and crossbreeding scheme as means to select sires for heterosis in egg production of chickens, 132
Austin, C M *see* Nguyen, T T T
Averdunk, G *see* Thomsen, H
Awata, T *see* Shimanuki, S

Bader, A *see* Drögemüller, C
Bailey, E *see* Brooks, S A
see also Hanzawa, K
see also Terry, R B
Barbancho, M J *see* Sanz, L M
Barendse, W *see* Byrne, K
see also Kurar, E
Bartenschlager, H *see* Kopečný, M
Beattie, A E *see* Sadighi, M
Beever, J E *see* Smit, M A
Beh, K J, Hume, D J, Callaghan, M J, Leish, Z, Lenane, I, Windon, R G & Maddox, J F. A genome scan for quantitative trait loci affecting resistance to *Trichostrongylus colubriformis* in sheep, 97
Behl, J *see* Behl, R
Behl, R, Kaul, R, Sheoran, N, Behl, J, Tantia, M S & Vijh, R K. Genetic identity of two Indian pig types using microsatellite markers, 158
Beja-Pereira, A, Erhardt, G, Matos, C, Gama, L & Ferrand, N. Evidence for a geographical cline of casein haplotypes in Portuguese cattle breeds, 295
Bendixen, C *see* Gong, Y
Bernal, J E *see* Gongora, J
Bertschinger, H U *see* Python, P
Bigi, D *see* Davoli, R
Binns, M M *see* Blechynden, L M
see also Swinburne, J E
Bjørnstad, G & Roed, K H. Evaluation of factors affecting individual assignment precision using microsatellite data from horse breeds and simulated breed crosses, 264
Bläser, U *see* Wimmers, K
Blažková, P, Stratil, A, Peelman, L J, Van Poucke, M, Reiner, G, Geldermann, H & Kopečný, M. Linkage assignments of the porcine *ATP1A1* and *IVL* genes, and RH mapping of *ATP1A1*, *ATP1B1*, *V-ATPase* (*CGI-11*) and *IVL* to chromosome 4, 235
Blechynden, L M, Hilbert, B J, Swinburne, J E, Binns, M M & Laing, N G. Four type I equine microsatellites associated with the *MITF*, *KIT*, *ATP2A1* and *GDAP1* genes, 387
Blümel, J *see* Thomsen, H
Bodensteiner, K J *see* Sadighi, M
Bonnet, A, Thévenon, S, Maudet, F & Maillard, J C. Efficiency of semi-automated fluorescent multiplex PCRs with 11 microsatellite markers for genetic studies of deer populations, 343
Bottema, C D K *see* Kurar, E
Bouw, P J. Biography, 2
Bowling, A T. Biography, 89
Boyd, Y *see* Goodchild, M
Bozzi, R *see* Ajmone-Marsan, P
Bradley, D G *see* Hill, E W
Braglia, S *see* Davoli, R
Brenig, B *see* Spötter, A
see also Thomsen, H
Bricker, S J *see* Locke, M M
Brockmann, G A *see* Thomsen, H
Brooks, S A, Terry, R B & Bailey, E. A PCR-RFLP for KIT associated with tobiano spotting pattern in horses, 301
Brouillette, J A & Venta, P J. Within-breed heterozygosity of canine single nucleotide polymorphisms identified by across-breed comparison, 464
Brown, J F & Archibald, A L. Physical and genetic mapping of the porcine *colipase* gene (*CLPS*), 377
Buchanan, F C *see* Thue, T D
Buitenhuis, A J, Crooijmans, R P M A, van Coppenraet, E S B, Veenendaal, A, Groenen, M A M & van der Poel, J J. Improvement of the comparative map of chicken chromosome 13, 249
Bumstead, N *see* Goodchild, M
Buntjer, J B *see* Ajmone-Marsan, P
Bürgi, E *see* Python, P
Burt, D W *see* Houston, B
see also Ikeobi, C O N
Butchaiah, G *see* De, S
Buttazzoni, L *see* Russo, V
Byla, B *see* Kirkpatrick, B W
Byrne, K, Johnson, S, Barendse, W & Moore, S S. *CSY234*: a SINE-associated genetic and physical marker on bovine chromosome X, 163

Cagnazzo, M *see* Davoli, R
see also Russo, V
Cahaner, A *see* Atzmon, G
see also Yunis, R
Callaghan, M J *see* Beh, K J
Cañón, J *see* García, D
Caput, P *see* Ivankovic, A
Carlborg, Ö *see* Park, H B
Carleos, C *see* García, D
Carleton, K L, Streelman, J T, Lee, B-Y, Garnhart, N, Kidd, M & Kocher, T D. Rapid isolation of the CA microsatellites from the tilapia genome, 140
Cassuto, D *see* Atzmon, G
Castellanos, C *see* Fernández, A
Cenci, V *see* Davoli, R
Čepica, S, Rohrer, G A & Masopust, M. Linkage mapping of a *HaeIII* PCR-RFLP within the porcine *EXT1* gene, 81
Cepica, S, Rohrer, G A, Masopust, M, Kubíčková, S, Musilová, P & Rubes, J. Partial cloning, cytogenetic and linkage mapping of the porcine resistin (*RSTN*) gene, 381
Čepica, S *see* Knoll, A
Cercós, A *see* Clop, A

© 2002 International Society for Animal Genetics

Author index

Açar, R *see* Jennen, D G J
Acland, G *see* Sidjanin, D J
Aguirre, G D *see* Sidjanin, D J
Ajmone-Marsan, P, Negrini, R, Milanesi, E, Bozzi, R, Nijman, I J, Buntjer, J B, Valentini, A & Lenstra, J A. Genetic distances within and across cattle breeds as indicated by biallelic AFLP markers, 280
Al-Barody, M *see* Hill, E W
Albera, A *see* Di Stasio, L D
Alcivar-Warren, A *see* Pascual, I
Alexander, L J *see* Korwin-Kossakowsa, A
see also McCoard, S A
Alexander, L J *see* Krause, E
Ali, M J *see* Mariasegaram, M
Alves, P C *see* Esteves, P J
Amaral, M E J *see* Roncoleta, M
Amills, M *see* Clop, A
Andersson, L *see* Knott, S A
see also Park, H B
Andersson-Eklund, L *see* Knott, S A
André, C *see* Rak, S G
Antoniou, E & Gallagher, D. Chromosomal assignment of the bovine ubiquitin-conjugating enzyme E2I (*UBE2I*) gene to BTA6q34 defines a new fragment of conserved synteny with human chromosome 16, 388
Archibald, A L *see* Brown, J F
see also Gibson, J P
see also Stratil, A
Arruga, M V *see* Pascual, I
Asakawa, S *see* Fujisaki, S
Ashwell, M S, Sonstegard, T S, Kata, S & Womack, J E. A radiation hybrid map of bovine chromosome 27, 75
Atzmon, G, Cassuto, D, Lavi, U, Cahaner, A, Zeitlin, G & Hillel, J. DNA markers and crossbreeding scheme as means to select sires for heterosis in egg production of chickens, 132
Austin, C M *see* Nguyen, T T T
Averdunk, G *see* Thomsen, H
Awata, T *see* Shimanuki, S

Bader, A *see* Drögemüller, C
Bailey, E *see* Brooks, S A
see also Hanzawa, K
see also Terry, R B
Barbancho, M J *see* Sanz, L M
Barendse, W *see* Byrne, K
see also Kurar, E
Bartenschlager, H *see* Kopečný, M
Beattie, A E *see* Sadighi, M
Beever, J E *see* Smit, M A
Beh, K J, Hume, D J, Callaghan, M J, Leish, Z, Lenane, I, Windon, R G & Maddox, J F. A genome scan for quantitative trait loci affecting resistance to *Trichostrongylus colubriformis* in sheep, 97
Behl, J *see* Behl, R
Behl, R, Kaul, R, Sheoran, N, Behl, J, Tantia, M S & Vijh, R K. Genetic identity of two Indian pig types using microsatellite markers, 158
Beja-Pereira, A, Erhardt, G, Matos, C, Gama, L & Ferrand, N. Evidence for a geographical cline of casein haplotypes in Portuguese cattle breeds, 295
Bendixen, C *see* Gong, Y
Bernal, J E *see* Gongora, J
Bertschinger, H U *see* Python, P
Bigi, D *see* Davoli, R
Binns, M M *see* Blechynden, L M
see also Swinburne, J E
Bjørnstad, G & Roed, K H. Evaluation of factors affecting individual assignment precision using microsatellite data from horse breeds and simulated breed crosses, 264
Bläser, U *see* Wimmers, K
Blažková, P, Stratil, A, Peelman, L J, Van Poucke, M, Reiner, G, Geldermann, H & Kopečný, M. Linkage assignments of the porcine *ATP1A1* and *IVL* genes, and RH mapping of *ATP1A1*, *ATP1B1*, *V-ATPase* (*CGI-11*) and *IVL* to chromosome 4, 235
Blechynden, L M, Hilbert, B J, Swinburne, J E, Binns, M M & Laing, N G. Four type I equine microsatellites associated with the *MITF*, *KIT*, *ATP2A1* and *GDAP1* genes, 387
Blümel, J *see* Thomsen, H
Bodensteiner, K J *see* Sadighi, M
Bonnet, A, Thévenon, S, Maudet, F & Maillard, J C. Efficiency of semi-automated fluorescent multiplex PCRs with 11 microsatellite markers for genetic studies of deer populations, 343
Bottema, C D K *see* Kurar, E
Bouw, P J. Biography, 2
Bowling, A T. Biography, 89
Boyd, Y *see* Goodchild, M
Bozzi, R *see* Ajmone-Marsan, P
Bradley, D G *see* Hill, E W
Braglia, S *see* Davoli, R
Brenig, B *see* Spötter, A
see also Thomsen, H
Bricker, S J *see* Locke, M M
Brockmann, G A *see* Thomsen, H
Brooks, S A, Terry, R B & Bailey, E. A PCR-RFLP for KIT associated with tobiano spotting pattern in horses, 301
Brouillette, J A & Venta, P J. Within-breed heterozygosity of canine single nucleotide polymorphisms identified by across-breed comparison, 464
Brown, J F & Archibald, A L. Physical and genetic mapping of the porcine *colipase* gene (*CLPS*), 377
Buchanan, F C *see* Thue, T D
Buitenhuis, A J, Crooijmans, R P M A, van Coppenraet, E S B, Veenendaal, A, Groenen, M A M & van der Poel, J J. Improvement of the comparative map of chicken chromosome 13, 249
Bumstead, N *see* Goodchild, M
Buntjer, J B *see* Ajmone-Marsan, P
Bürgi, E *see* Python, P
Burt, D W *see* Houston, B
see also Ikeobi, C O N
Butchaiah, G *see* De, S
Buttazzoni, L *see* Russo, V
Byla, B *see* Kirkpatrick, B W
Byrne, K, Johnson, S, Barendse, W & Moore, S S. *CSY234*: a SINE-associated genetic and physical marker on bovine chromosome X, 163

Cagnazzo, M *see* Davoli, R
see also Russo, V
Cahaner, A *see* Atzmon, G
see also Yunis, R
Callaghan, M J *see* Beh, K J
Cañón, J *see* García, D
Caput, P *see* Ivankovic, A
Carlborg, Ö *see* Park, H B
Carleos, C *see* García, D
Carleton, K L, Streelman, J T, Lee, B-Y, Garnhart, N, Kidd, M & Kocher, T D. Rapid isolation of the CA microsatellites from the tilapia genome, 140
Cassuto, D *see* Atzmon, G
Castellanos, C *see* Fernández, A
Cenci, V *see* Davoli, R
Čepica, S, Rohrer, G A & Masopust, M. Linkage mapping of a *HaeIII* PCR-RFLP within the porcine *EXT1* gene, 81
Cepica, S, Rohrer, G A, Masopust, M, Kubíčková, S, Musilová, P & Rubes, J. Partial cloning, cytogenetic and linkage mapping of the porcine resistin (*RSTN*) gene, 381
Čepica, S *see* Knoll, A
Cercós, A *see* Clop, A

© 2002 International Society for Animal Genetics

Chardon, P *see* Jacobs, K
see also Sun, H S
Chen, S-L *see* Fan, B
Chen, Y Z *see* Fujisaki, S
Chen, Y *see* Gongora, J
Cho, K K *see* Lee, S H
Choi, C B *see* Kim, K S
Choi, Y J *see* Lee, S H
Chomdej, S *see* Ponsuksili, S
see also Wimmers, K
Choy, Y H *see* Lee, S H
Christenson, R K *see* Kim, J G
Clop, A, Cercós, A, Tomàs, A, Pérez-Enciso, M, Varona, L, Noguera, J L, Sànchez, A & Amills, M. Assignment of the 2,4-dienoyl-CoA reductase (*DECR*) gene to porcine chromosome 4, 164
Cnaani, A, Ron, M, Hulata, G & Seroussi, E. Fishing *in silico* : searching for tilaplia genes using sequences of microsatellite DNA markers, 473
Cnaani, A, Ron, M, Lee, B-Y, Hulata, G, Kocher, T D & Seroussi, E. Mapping the transferrin gene in tilapia, 78
Cockett, N E *see* Smit, M A
Coleman, R L *see* Rexroad III, C E
van Coppenraet, E S B *see* Buitenhuis, A J
Costa, L N *see* Russo, V
Cothran, E G *see* Terry, R B
Cotinot, C *see* Pinton, A
Crawford, A M *see* Diez-Tascón, C
Crooijmans, R P M A *see* Buitenhuis, A J
see also Faivre, M
see also Jennen, D G J
Cunningham, E P *see* Hill, E W

Darré, R *see* Pinton, A
Davis, S *see* Kurar, E
Davoli, R, Fontanesi, L, Braglia, S & Russo, V. A missense mutation in the porcine mitochondrial 2,4-dienoyl CoA reductase 1 (*DECR1*) gene and linkage mapping of this locus to chromosome 4, 73
Davoli, R, Fontanesi, L, Zambonelli, P, Bigi, D, Gellin, J, Yerle, M, Milc, J, Braglia, S, Cenci, V, Cagnazzo, M & Russo, V. Isolation of porcine expressed sequence tags for the construction of a first genomic transcript map of the skeletal muscle in pig, 3
Davoli, R *see* Russo, V
see also Stratil, A
Day, A E, Quilter, C R, Sargent, C A & Mileham, A J. Characterization of the porcine sperm adhesion molecule gene *SPAM1* – expression analysis, genomic structure, and chromosomal mapping, 211
De, S, Singh, R K & Butchaiah, G. *MHC-DRB* exon 2 allele polymorphism in Indian river buffalo (*Bubalus bubalis*), 215
Dhar, A K *see* Pascual, I
Diez-Tascón, C, Dodds, K G & Crawford, A M. An insertion/deletion polymorphism in the fourth intron of *POP5* is used for linkage mapping in sheep, 229
Diez-Tascón, C, Dodds, K G & Crawford, A M. Linkage mapping of the ovine single-stranded DNA-binding protein 1 (*SSBP1*) using microsatellite marker *OARCDT7*, 468
Diez-Tascón, C, Dodds, K G, Zadissa, A & Crawford, A M. Linkage mapping of the ovine *ANLN* gene using an insertion/deletion polymorphism, 243
Diez-Tascón, C, Maddox, J F, Dodds, K G & Crawford, A M. Ovine T-cell receptor γ genes contain polymorphic microsatellites, 468
Di Stasio, L D, Sartore, S & Albera, A. Lack of association of *GH1* and *POU1F1* gene variants with meat production traits in Piemontese cattle, 61
Distl, O *see* Drögemüller, C
see also Rak, S G
see also Spötter, A
Dodds, K G *see* Diez-Tascón, C
Dovc, P *see* Ivankovic, A
Drögemüller, C, Bader, A, Wöhlke, A, Kuiper, H, Leeb, T & Distl, O. A high-resolution comparative RH map of the proximal part of bovine chromosome 1, 271
Drögemüller, C, Kuiper, H, Hauke, G, Williams, J L & Distl, O. Fine mapping of the bovine solute carrier family 25, member 4 (*SLC25A4*) gene to BTA27q14-q15 by fluorescence *in situ* hybridization and radiation hybrid mapping, 318
Drögemüller, C *see* Rak, S G
see also Spötter, A
Ducos, A *see* Pinton, A
Dulout, F N *see* Mirol, P M
Dvořák, J *see* Knoll, A
Dzapo, V *see* Hiendleder, S
see also Reiner, G

Erhardt, G *see* Beja-Pereira, A
see also Lühken, G
see also Thomsen, H
Ertugrul, O *see* Hill, E W
Esteves, P J, Alves, P C, Ferrand, N & van der Loo, W. Restriction fragment alleles of the rabbit *IGHG* genes with reference to the rabbit *IGHGCH2* or *e* locus polymorphism, 309

Fahrenkrug, S C, Freking, B A, Smith, T P L, Rohrer, G A & Keele, J W. Single nucleotide polymorphism (SNP) discovery in porcine expressed genes, 186
Fahrenkrug, S C *see* McCoard, S A
see also Rohrer, G A
Faivre, M, Rattink, A P, Harlizius, B, Crooijmans, R P M A & Groenen, M A M. Porcine BAC derived microsatellites linked to *ADRBK1*, *CNTF* and *GAL* on SSC2, 72
Fan, B, Wang, Z-G, Li, Y-J, Zhao, X-L, Liu, B, Zhao, S-H, Yu, M, Li, M-H, Chen, S-L, Xiong, T-A & Li, K. Genetic variation analysis within and among Chinese indigenous swine populations using microsatellite markers, 422
Fan, Y *see* Pascual, I
Farquharson, C *see* Houston, B
Fernández, A, Castellanos, C, Rodríguez, C, Noguera, J L, Sánchez, A & Óvilo, C. Physical and linkage mapping of the porcine *pink-eye dilution* gene (*OCA2*), 392
Ferrand, N *see* Beja-Pereira, A
see also Esteves, P J
Fitzsimmons, C J *see* Sun, H S
Fontanesi, L *see* Davoli, R
see also Russo, V
Ford, J J *see* McCoard, S A
Förster, M *see* Thomsen, H
Föster, M *see* Kurar, E
Frank, M T, Park, C, Rodriguez-Zas, S & Lewin, H A. Homogeneity of recombination rate within a conserved region on BTA3 that contains QTL, 56
Freking, B A *see* Fahrenkrug, S C
see also McCoard, S A
Fujisaki, S, Mizoguchi, Y, Takahashi, S, Chen, Y Z, Suzuki, K, Asakawa, S, Soeda, E, Shimizu, N, Sugimoto, Y & Yasue, H. Construction of a bovine bacterial artificial chromosome library from fibroblasts used for cloned cattle, 379

Gallagher, D *see* Antoniou, E
Galloway, S M *see* Sadighi, M
Gama, L *see* Beja-Pereira, A
García, D, Carleos, C, Parra, D & Cañón, J. Sib-parentage testing using molecular markers when parents are unknown, 364
García, P P *see* Mirol, P M
Garnhart, N *see* Carleton, K L
Geldermann, H *see* Blažková, P
see also Hiendleder, S
see also Knoll, A
see also Kopečný, M
see also Reiner, G
see also Stratil, A
Gellin, J *see* Davoli, R
see also Wimmers, K
Gibson, J P, Jiang, Z H, Robinson, J A B, Archibald, A L & Haley, C S. No detectable association of the ESR *Pvu*II mutation with sow productivity in a Meishan × Large White F_2 population, 448
Goldammer, T *see* Lühken, G

Gong, Y. Petersen, A H & Bendixen, C. Seven SNPs in the porcine *INSL3* gene encoding Leydig cell insulin like hormone, 160
Gong, Y. Eleven single nucleotide polymorphisms (SNPs) at a hypervariable locus on pig chromosome 6, 80
Gongora, J. Chen, Y. Bernal, J E. Nicholas, F W & Moran, C. Interspecific amplification of peccary microsatellite markers using porcine primers, 312
Gongora, J *see* Kim, K-I
Goodchild, M. Bumstead, N & Boyd, Y. Linkage mapping of *NDUFB1* to distal chicken chromosome 5, 401
Gould, D J & Sargan, D R. Autosomal dominant retinal dystrophy (Rdy) in Abyssinian cats: exclusion of *PDE6G* and *ROM1* and likely exclusion of Rhodopsin as candidate genes, 436
Goureau, A *see* Sun, H S
Grapes, L & Rothschild, M F. *BMP15* maps to the X chromosome in swine, 165
Gregorio, P D *see* Motavalian, M
Groenen, M A M *see* Buitenhuis, A J
see also Faivre, M
see also Jennen, D G J
Grupe, S *see* Thomsen, H
Gupta, S *see* Navani, N

Hagger, C *see* Python, P
Haley, C S *see* Gibson, J P
see also Knott, S A
Hanzawa, K. Lear, T L. Piumi, F & Bailey, E. Mapping of equine potassium chloride cotransporter (*SLC12A4*) and amino acid transporter (*SLC7A10*) and preliminary studies on associations between SNPs from *SLC12A4*, *SLC7A10* and *SLC7A9* and osmotic fragility of erythrocytes, 455
Harlizius, B *see* Faivre, M
Hauke, G *see* Drögemüller, C
Heinricy, L *see* Reiner, G
Heller, E D *see* Yunis, R
Helm, J M *see* Ramos, A M
Hershberger, W K *see* Rexroad III, C E
Hiendleder, S. Reiner, G. Geldermann, H & Dzapo, V. SNPs in the porcine *INHA* gene and linkage mapping to SSC15, 247
Hiendleder, S *see* Thomsen, H
Hilbert, B J *see* Blechynden, L M
Hill, E W. Bradley, D G. Al-Barody, M. Ertugrul, O. Splan, R K. Zakharov, I & Cunningham, E P. History and integrity of thoroughbred dam lines revealed in equine mtDNA variation, 287
Hillel, J *see* Atzmon, G
see also Yunis, R
Hirano, T. Hirotsune, S. Sasaki, S. Kikuchi, T & Sugimoto, Y. A new deletion mutation in bovine Claudin-16 (CL-16) deficiency and diagnosis, 118
Hirotsune, S *see* Hirano, T
Hocking, P M *see* Ikeobi, C O N
Hopkins, A *see* Swinburne, J E
Hořín, P & Matiašovic, J. A second locus and new alleles in the major histocompatability complex class II (*ELA-DQB*) region in the horse, 196
Houston, B. Paton, I R. Burt, D W & Farquharson, C. Chromosomal localization of the chicken and mammalian orthologues of the orphan phosphatase *PHOSPHO1* gene, 451
Hulata, G *see* Cnaani, A
Hulme, D J *see* Beh, K J

Ichikawa, Y. Takahashi, Y. Tsumagari, S. Takeishi, M. Ishihama, K. Morita, M. Kanemaki, M. Minezawa, M & Takahashi, H. Identification and characterization of 40 dinucleotide microsatellites in the dog genome, 400
Ikeobi, C O N. Woolliams, J A. Morrice, D R. Law, A. Windsor, D. Burt, D W & Hocking, P M. Quantitative trait loci affecting fatness in the chicken, 428
Ishihama, K *see* Ichikawa, Y
Ivankovic, A. Kavar, T. Caput, P. Mioc, B. Pavic, V & Dovc, P. Genetic diversity of three donkey populations in the Croatian coastal region, 169

Jacobs, K. Mattheeuws, M. Van Poucke, M. van Zeveren, A & Peelman, L J. Characterization of the porcine *FABGL* gene, 220
Jacobs, K. Van Poucke, M. Mattheeuws, M. Chardon, P. Yerle, M. Rohrer, G. Zeveren, A V & Peelman, L J. Characterization of the porcine melanocortin 2 receptor gene (MC2R), 415
Jain, P K *see* Navani, N
Jaszczak, K *see* Sazanov, A A
Jennen, D G J. Crooijmans, R P M A. Kamps, B. Açar, R. Veenendaal, A. van der Poel, J J & Groenen, M A M. A comparative map of chicken chromosome 24 and human chromosome 11, 205
Jiang, Z H *see* Gibson, J P
Jiménez-Marín, A *see* Sanz, L M
Johnson, J L *see* Sidjanin, D J
Johnson, S *see* Byrne, K
Jörg, H *see* Python, P

Kalm, E *see* Kurar, E
see also Thomsen, H
Kamps, B *see* Jennen, D G J
Kanemaki, M *see* Ichikawa, Y
Kang, S K *see* Lee, S H
Kappes, S M *see* Kurar, E
Kata, S R *see* Roncoleta, M
see also Takami, M
see also Ashwell, M S
Kaul, R *see* Behl, R
Kavar, T *see* Ivankovic, A
Keele, J W *see* Fahrenkrug, S C
Kidd, M *see* Carleton, K L
Kikuchi, H *see* Lee, E J
Kikuchi, T *see* Hirano, T
see also Lee, E J
Killefer, J *see* Rexroad III, C E
Kim, C W *see* Lee, S H
Kim, J G. Nonneman, D. Vallet, J L & Christenson, R K. Mapping of the porcine alpha-fetoprotein (*AFP*) gene to swine chromosome 8, 470
Kim, J G. Nonneman, D. Vallet, J L. Rohrer, G A & Christenson, R K. Linkage mapping of a single nucleotide polymorphism (SNP) in the porcine *QDPR* gene to chromosome 8, 472
Kim, J G. Vallet, J L. Rohrer, G A & Christenson, R K. Mapping of the porcine *AREG* and *EGF* genes to SSC8, 314
Kim, K S. Yeo, J S & Choi, C B. Genetic diversity of north-east Asian cattle based on microsatellite data, 201
Kim, K-I. Lee, J-H. Li, K. Zhang, Y-P. Lee, S-S. Gongora, J & Moran, C. Phylogenetic relationships of Asian and European pig breeds determined by mitochondrial DNA D-loop sequence polymorphism, 19
Kirkpatrick, B W. Byla, B. Kurar, E & Warren, W C. Development of microsatellite markers and comparative mapping for bovine chromosome 19, 65
Kirkpatrick, B W *see* Kurar, E
Kister, A *see* Kurar, E
Klungland, H *see* Kurar, E
Knoll, A. Dvořák, J. Rohrer, G A & Čepica, S. Linkage and cytogenetic mapping of the *BCL9* gene to porcine chromosome 4, 162
Knoll, A. Stratil, A. Reiner, G. Peelman, L J. Van Poucke, M & Geldermann, H. Linkage and radiation hybrid mapping of the porcine calsequestrin 1 (*CASQ1*) gene to chromosome 4q, 390
Knott, S A. Nyström, P E. Andersson-Eklund, L. Stern, S. Marklund, L. Andersson, L & Haley, C S. Approaches to interval mapping of QTL in a multigeneration pedigree: the example of porcine chromosome 4, 26
Kobayashi, E *see* Shimanuki, S
Kobayashi, Y *see* Takami, M
Kocher, T D *see* Carleton, K L
see also Cnaani, A
Konfortov, B A *see* Muramatsu, Y
Kopečný, M. Stratil, A. Bartenschlager, H. Peelman, L J. Van Poucke, M & Geldermann, H. Linkage and radiation hybrid mapping of the porcine *IGF1R* and *TPM2* genes to chromosome 1, 398
Kopečný, M *see* Blažková, P

Korwin-Kossakowska, A. Reed, K M. Pelak, C. Krause, E. Morrison, L & Alexander, L J. Radiation hybrid mapping of 118 new porcine microsatellites, 224
Kraus, M *see* Lühken, G
Krause, E. Morrison, L. Reed, K M & Alexander, L J. Radiation hybrid mapping of 273 previously unreported porcine microsatellites, 474
Krause, E *see* Korwin-Kossakowsa, A
Kubíčková, S *see* Cepica, S
see also Musilová, P
see also Stratil, A
Kühn, C *see* Thomsen, H
Kuiper, H *see* Drögemüller, C
see also Rak, S G
see also Spötter, A
Kumar, S *see* Navani, N
Kunieda, T *see* Takami, M
Kurar, E, Barendse, W, Bottema, C D K, Davis, S, Föster, M, Kalm, E, Kappes, S M, Kister, A, Lewin, H A, Klungland, H, Medjugorac, I, Olsaker, I, Pitchford, W S, Schmutz, S M, Taylor, J, Thomsen, H & Kirkpatrick, B W, Consensus and comprehensive linkage maps of bovine chromosome 24, 460
Kurar, E *see* Kirkpatrick, B W

Ladon, D *see* Szamalek, J M
Laing, N G *see* Blechynden, L M
Lavi, U *see* Atzmon, G
Law, A *see* Ikeobi, C O N
Lear, T L *see* Hanzawa, K
Lear, T *see* Terry, R B
Lee, B-Y *see* Carleton, K L
see also Cnaani, A
Lee, E J, Yoshizawa, K, Mannen, H, Kikuchi, H, Kikuchi, T, Mizutani, M & Tsuji, S, Localization of the muscular dystrophy *AM* locus using a chicken linkage map constructed with the Kobe University resource family, 42
Lee, E J *see* Shimogiri, T
Lee, J-H *see* Kim, K-I
Lee, S H, Cho, K K, Kang, S K, Kim, C W, Park, H C, Choy, Y H & Choi, Y J, Detection of pigs resistant to post-weaning diarrhoea, oedema disease and porcine stress syndrome by allele-specific polymerase chain reaction, 237
Lee, S-S *see* Kim, K-I
Leeb, T *see* Drögemüller, C
see also Rak, S G
see also Spötter, A
Leish, Z *see* Beh, K J
Lejukole, H Y *see* Muramatsu, Y
Lenane, I *see* Beh, K J
Lenstra, J A *see* Ajmone-Marsan, P
Lewin, H A *see* Frank, M T
see also Kurar, E
Leyhe-Horn, B *see* Thomsen, H
Li, K *see* Fan, B
see also Kim, K-I
see also Yu, M
Li, M-H *see* Fan, B
Li, Y-J *see* Fan, B
Liu, B *see* Fan, B
see also Yu, M
Llanes, D *see* Sanz, L M
Locke, M M, Penedo, M C T, Bricker, S J, Millon, L V & Murray, J D, Linkage of the grey coat colour locus to microsatellites on horse chromosome 25, 329
van der Loo, W *see* Esteves, P J
Looft, C *see* Thomsen, H
Lühken, G, Weimann, C, Kraus, M, Goldammer, T, Womack, J E & Erhardt, G, Genetic and physical mapping of the ovine interleukin-2 gene (*IL2*), 245

McClenaghan, M *see* Stratil, A
McCoard, S A, Fahrenkrug, S C, Alexander, L J, Freking, B A, Rohrer, G A, Wise, T H & Ford, J J, An integrated comparative map of the porcine X chromosome, 178
Maddox, J F, Linkage mapping of microsatellites associated with the glycosylation dependent cell adhesion molecule (*GLYCAM1*) and thyroid hormone receptor alpha chain (*THRA*) genes to ovine chromosomes 3 and 11, 240
Maddox, J F *see* Beh, K J
see also Diez-Tascón, C
Maeda, Y *see* Shimogiri, T
Maillard, J C *see* Bonnet, A
Mannen, H *see* Lee, E J
see also Shimogiri, T
Mariasegaram, M, Pullenayegum, S, Ali, M J, Shah, R S, Penedo, M C T, Wernery, U & Sasse, J, Isolation and characterization of eight microsatellite markers in *Camelus dromedarius* and cross-species amplification in *C. bactrianus* and *Lama pacos*, 385
Marklund, L *see* Knott, S A
Marklund, S *see* Park, H B
Masina, P *see* Motavalian, M
Masopust, M *see* Čepica, S
see also Cepica, S
Matiašovic, J *see* Hořín, P
Matos, C *see* Beja-Pereira, A
Mattheeuws, M *see* Jacobs, K
Maudet, F *see* Bonnet, A
Medjugorac, I *see* Kurar, E
see also Thomsen, H
Mellersh, C *see* Sidjanin, D J
Milanesi, E *see* Ajmone-Marsan, P
Milc, J *see* Davoli, R
Mileham, A J *see* Day, A E
Millon, L V *see* Locke, M M
Minezawa, M *see* Ichikawa, Y
Mioc, B *see* Ivankovic, A
Mirol, P M, García, P P, Vega-Pla, J L & Dulout, F N, Phylogenetic relationships of Argentinean Creole horses and other South American and Spanish breeds inferred from mitochondrial DNA sequences, 356
Miyagawa, S *see* Shimogiri, T
Mizoguchi, Y *see* Fujisaki, S
Mizutani, M *see* Lee, E J
Moore, S S *see* Byrne, K
Moran, C *see* Gongora, J
see also Kim, K-I
Morita, M *see* Ichikawa, Y
Moritomo, Y *see* Takami, M
Morrice, D R *see* Ikeobi, C O N
Morrison, L *see* Korwin-Kossakowsa, A
see also Krause, E
Motavalian, M, Rando, A, Urciuoli, M, Senese, C, Gregorio, P D & Masina, P, *PZE46* and *PZE114*: two bovine polymorphic microsatellite loci isolated from a placenta cDNA library, 159
Müller, E *see* Reiner, G
Muramatsu, Y, Lejukole, H Y, Taniguchi, Y, Konfortov, B A, Yamada, T, Yasue, H & Sasaki, Y, Chromosomal assignments of expressed sequence tags for *ACTG1*, *AHSG*, *COL1A1*, *GNAS1*, and *RPLP1* expressed abundantly in the bovine foetus, 230
Muráni, E *see* Wimmers, K
Murphy, N P *see* Nguyen, T T T
Murray, J D *see* Locke, M M
Musilová, P, Kubíčková, S & Rubeš, J, Assignment of porcine cyclin-dependent kinase 4 (*CDK4*) and oncogene c-mos (*MOS*) by nonradioactive nonflourescence *in situ* hybridization, 145
Musilová, P *see* Cepica, S
see also Stratil, A

Naish, K A & Park, L K, Linkage relationships for 35 new microsatellite loci in chinook salmon *Oncorhynchus tshawytscha*, 316
Navani, N, Jain, P K, Gupta, S, Sisodia, B S & Kumar, S, A set of cattle microsatellite DNA markers for genome analysis of riverine buffalo (*Bubalus bubalis*), 149
Negrini, R *see* Ajmone-Marsan, P
Neuenschwander, S *see* Python, P
Nguyen, T T T, Murphy, N P & Austin, C M, Amplification of multiple copies of mitochondrial Cytochrome *b* gene fragments in the Australian freshwater crayfish, *Cherax destructor* Clark (Parastacidae: Decapoda), 304
Nicholas, F W *see* Gongora, J
Nijman, I J *see* Ajmone-Marsan, P
Noguera, J L *see* Clop, A
see also Fernández, A

Nonneman, D & Rohrer, G A. Linkage mapping of porcine *DGAT1* to a region of chromosome 4 that contains QTL for growth, fatness.. 471
Nonneman, D *see* Kim, J G
see also Rohrer, G A
Notter, D R *see* Smit, M A
Nyström, P E *see* Knott, S A

Okamoto, S *see* Shimogiri, T
Olsaker, I *see* Kurar, E
Ostrander, E A *see* Sidjanin, D J
Óvilo, C *see* Fernández, A

Pailhoux, E *see* Pinton, A
Paradis, M R *see* Pascual, I
Park, C *see* Frank, M T
Park, H B, Carlborg, Ö, Marklund, S & Andersson, L. *Melanocortin-4 receptor* (*MC4R*) genotypes have no major effect on fatness in a Large White × Wild Boar intercross. 155
Park, H C *see* Lee, S H
Park, L K *see* Naish, K A
Parra, D *see* García, D
Pascual, I, Dhar, A K, Fan, Y, Paradis, M R, Arruga, M V & Alcivar-Warren, A. Isolation of expressed sequence tags from a Thoroughbred horse (*Equus caballus*) 5′-RACE cDNA library. 231
Paton, I R *see* Houston, B
Pavic, V *see* Ivankovic, A
Pavón, J J G *see* Sanz, L M
Peelman, L J *see* Blažková, P
see also Jacobs, K
see also Knoll, A
see also Kopečný, M
see also Stratil, A
Pelak, C *see* Korwin-Kossakowsa, A
Penedo, M C T *see* Locke, M M
see also Mariasegaram, M
Pérez-Enciso, M *see* Clop, A
Petersen, A H *see* Gong, Y
Pinton, A, Pailhoux, E, Piumi, F, Rogel-Gaillard, C, Darré, R, Yerle, M, Ducos, A & Cotinot, C. A case of intersexuality in pigs associated with a *de novo* paracentric inversion 9 (p1.2; p2.2). 69
Pinton, P *see* Sun, H S
Pitchford, W S *see* Kurar, E
Piumi, F *see* Hanzawa, K
see also Pinton, A
van der Poel, J J V *see* Jennen, D G J
van der Poel, J J *see* Buitenhuis, A J
Ponsuksili, S, Chomdej, S, Schellander, K & Wimmers, K. SNP detection and linkage mapping of the porcine ferritin heavy-chain gene. 325
Ponsuksili, S, Schellander, K & Wimmers, K. Isolation, polymorphism identification and linkage mapping of the porcine haptoglobin locus. 324
Ponsuksili, S, Schellander, K & Wimmers, K. Molecular cloning and chromosome assignment of porcine vinculin gene (*VCL*). 326
Ponsuksili, S *see* Wimmers, K
Pullenayegum, S *see* Mariasegaram, M
Python, P, Jörg, H, Neuenschwander, S, Hagger, C, Stricker, C, Bürgi, E, Bertschinger, H U, Stranzinger, G & Vögeli, P. Fine-mapping of the intestinal receptor locus for enterotoxigenic *Escherichia coli* F4ac on porcine chromosome 13. 441

Quignon, P *see* Rak, S G
Quilter, C R *see* Day, A E

Rak, S G, Drögemüller, C, Kuiper, H, Leeb, T, Quignon, P, André, C & Distl, O. Comparative mapping of the canine diaphanous homologue 1 (Drosophila) gene (*DIAPH1*) to CFA2q23–q24.2. 389
Rak, S G, Drögemüller, C, Leeb, T, Quignon, P, André, C & Distl, O. Assignment of the canine potassium voltage-gated channel, KQT-like subfamily, member 3 (*KCNQ3*) gene to CFA 13 by radiation hybrid mapping. 320
Ramos, A M, Helm, J M, Zhang, Y D, Rangel-Figueiredo, T & Rothschild, M F. Linkage and physical mapping of the porcine *thyroglobulin* (*TG*) gene. 228
Rando, A *see* Motavalian, M
Rangel-Figueiredo, T *see* Ramos, A M
Rattink, A P *see* Faivre, M
Reed, K M *see* Korwin-Kossakowsa, A
see also Krause, E
Reents, R *see* Thomsen, H
Reiner, G, Heinricy, L, Müller, E, Geldermann, H & Dzapo, V. Indications of associations of the porcine FOS protooncogene with skeletal muscle fibre traits. 49
Reiner, G *see* Blažková, P
see also Hiendleder, S
see also Knoll, A
see also Stratil, A
Reinhardt, F *see* Thomsen, H
Reinsch, N *see* Thomsen, H
Rendel, P J. Biography. 1
Rexroad III, C E, Coleman, R L, Hershberger, W K & Killefer, J. Eighteen polymorphic microsatellite markers for rainbow trout (*Oncorhynchus mykiss*). 76
Robinson, J A B *see* Gibson, J P
Rodríguez, C *see* Fernández, A
Rodriguez-Zas, S *see* Frank, M T
Roed, K H *see* Bjørnstad, G
Rogalska-Niznik, N *see* Szamalek, J M
Rogel-Gaillard, C *see* Pinton, A
Rohrer, G A, Fahrenkrug, S C, Nonneman, D, Tao, N & Warren, W C. Mapping microsatellite markers identified in porcine EST sequences. 372
Rohrer, G A *see* Čepica, S
see also Cepica, S
see also Fahrenkrug, S C
see also McCoard, S A
see also Kim, J G
see also Nonneman, D
see also Kim, J G
see also Knoll, A
see also Jacobs, K
Ron, M *see* Cnaani, A
Roncoleta, M, Kata, S R, Womack, J E & Amaral, M E J. Genome mapping of the bovine seminal plasma A3 gene (*BSPA3*). 397
Roncoleta, M, Kata, S R, Womack, J E & Amaral, M E J. Mapping the prostaglandin-D synthase gene (*PTGDS*) to bovine chromosome 1. 322
Rothschild, M F *see* Grapes, L
see also Ramos, A M
Rubes, J *see* Cepica, S
see also Musilová, P
see also Stratil, A
Russ, I *see* Thomsen, H
Russo, V, Fontanesi, L, Davoli, R, Costa, L N, Cagnazzo, M, Buttazzoni, L, Virgili, R & Yerle, M. Investigation of candidate genes for meat quality in dry-cured ham production: the porcine cathepsin B (*CTSB*) and cystatin B (*CSTB*) genes. 123
Russo, V *see* Davoli, R

Sadighi, M, Bodensteiner, K J, Beattie, A E & Galloway, S M. Genetic mapping of ovine growth differentiation factor 9 (*GDF9*) to sheep chromosome 5. 244
Sánchez, A *see* Clop, A
see also Fernández, A
Sanz, L M, Jiménez-Marín, A, Yerle, M, Llanes, D, Barbancho, M J & Pavón, J J G. A polymorphic microsatellite located on pig chromosome band 12p11-2/3p13, within the 3′-UTR of the *ITGB3* gene. 239
Sargan, D R *see* Gould, D J
Sargent, C A *see* Day, A E
Sartore, S *see* Di Stasio, L D
Sasaki, S *see* Hirano, T
Sasaki, Y *see* Muramatsu, Y
Sasse, J *see* Mariasegaram, M
Sazanov, A A, Trukhina, A V, Smirnov, A F & Jaszczak, K. Two chicken genes *APOA1* and *ETS1* are physically assigned to the same microchromosome. 321
Schellander, K *see* Ponsuksili, S
see also Wimmers, K
Schelling, C *see* Szamalek, J M
Schmidtz, B H & Schmutz, S M. Linkage mapping of *TYR* to dog chromosome 21. 473
Schmutz, S M *see* Kurar, E
see also Schmidtz, B H
Schwerin, M *see* Thomsen, H

Senese, C *see* Motavalian, M
Seroussi, E *see* Cnaani, A
Shah, R S *see* Mariasegaram, M
Shay, T L *see* Smit, M A
Sheoran, N *see* Behl, R
Shi, X -W, Zhang, Y D & Tuggle, C K. Linkage mapping of porcine *STCH* further refines the HSA3/21 breakpoint on pig chromosome 13, 395
Shimanuki, S, Kobayashi, E & Awata, T. Genomic structure of the porcine *Interleukin 8* gene and development of a microsatellite marker within intron 1, 469
Shimizu, N *see* Fujisaki, S
Shimogiri, T, Miyagawa, S, Lee, E J, Mannen, H, Okamoto, S, Maeda, Y & Tsuji, S. Linkage mapping of the mitochondrial *aconitase* (*ACO2*) gene to chicken chromosome 1, 312
Sidjanin, D J, Zangerl, B, Johnson, J L, Xue, F, Mellersh, C, Ostrander, E A, Acland, G & Aguirre, G D. Cloning of the canine delta tubulin cDNA (*TUBD*) and mapping to CFA9, 161
Singh, R K *see* De, S
Sisodia, B S *see* Navani, N
Smirnov, A F *see* Sazanov, A A
Smit, M A, Shay, T L, Beever, J E, Notter, D R & Cockett, N E. Identification of an *agouti*-like locus in sheep, 383
Smith, T P L *see* Fahrenkrug, S C
Soeda, E *see* Fujisaki, S
Sonstegard, T S *see* Ashwell, M S
Splan, R K *see* Hill, E W
Spötter, A, Kuiper, H, Drögemüller, C, Brenig, B, Leeb, T & Distl, O. Assignment of the porcine epidermal growth factor (*EGF*) gene to SSC8q2.3–q2.4 by fluorescence *in situ* hybridization and radiation hybrid mapping, 166
Stern, S *see* Knott, S A
Stranzinger, G *see* Python, P
Stratil, A, Kubíčková, S, Archibald, A L, Peelman, L J, McClenaghan, M, Musilová, P, Van Poucke, M & Rubeš, J. Assignment of the porcine *GLUL* gene to the distal end of chromosome 9q, 315
Stratil, A, Reiner, G, Peelman, L J, Davoli, R, Van Poucke, M, Zambonelli, P & Geldermann, H. An *Alw*26I PCR-RFLP in exon 1 of the porcine SKI oncogene and mapping the gene to the *RYR1* (*CRC*) linkage group on chromosome 6, 377
Stratil, A *see* Blažková, P
see also Knoll, A
see also Kopečný, M
Streelman, J T *see* Carleton, K L
Stricker, C *see* Python, P
Sugimoto, Y *see* Fujisaki, S
see also Hirano, T
Sun, H S, Tuggle, C K, Goureau, A, Fitzsimmons, C J, Pinton, P, Chardon, P & Yerle, M. Precise mapping of breakpoints in conserved synteny between human chromosome 1 and pig chromosomes 4, 6 and 9, 91
Suzuki, K *see* Fujisaki, S
Swinburne, J E, Hopkins, A & Binns, M M. Assignment of the horse grey coat colour gene to ECA25 using whole genome scanning, 338
Swinburne, J E *see* Blechynden, L M
Switonski, M *see* Szamalek, J M
Szamalek, J M, Szczerbal, I, Rogalska-Niznik, N, Switonski, M, Ladon, D & Schelling, C. Chromosomal localization of two keratin gene families in the karyotype of three species of the family *Canidae*, 404
Szczerbal, I *see* Szamalek, J M

Takahashi, H *see* Ichikawa, Y
Takahashi, S *see* Fujisaki, S
Takahashi, Y *see* Ichikawa, Y
Takami, M, Yoneda, K, Kobayashi, Y, Moritomo, Y, Kata, S R, Womack, J E & Kunieda, T. The bovine *fibroblast growth factor receptor 3* (*FGFR3*) gene is not the locus responsible for bovine chondrodysplastic dwarfism in Japanese brown cattle, 351
Takeishi, M *see* Ichikawa, Y
Taniguchi, Y *see* Muramatsu, Y
Tantia, M S *see* Behl, R
Tao, N *see* Rohrer, G A
Taylor, J *see* Kurar, E
Terry, R B, Bailey, E, Lear, T & Cothran, E G. Rejection of *MITF* and *MGF* as the genes responsible for appaloosa coat colour patterns in horses, 82
Terry, R B *see* Brooks, S A
Thévenon, S *see* Bonnet, A
Thomsen, H, Reinsch, N, Xu, N, Looft, C, Grupe, S, Kühn, C, Brockmann, G A, Schwerin, M, Leyhe-Horn, B, Hiendleder, S, Erhardt, G, Medjugorac, I, Russ, I, Förster, M, Brenig, B, Reinhardt, F, Reents, R, Blümel, J, Averdunk, G & Kalm, E. Mapping of the bovine blood group systems J, N′, R′, and Z show evidence for oligo-genetic inheritence, 107
Thomsen, H *see* Kurar, E
Thue, T D & Buchanan, F C. A new polymorphism in the cattle *IGFBP3* gene, 242
Tomás, A *see* Clop, A
Trukhina, A V *see* Sazanov, A A
Tsuji, S *see* Lee, E J
see also Shimogiri, T
Tsumagari, S *see* Ichikawa, Y
Tuggle, C K *see* Shi, X -W
see also Sun, H S

Urciuoli, M *see* Motavalian, M

Valentini, A *see* Ajmone-Marsan, P
Vallet, J L *see* Kim, J G
Van Poucker, M *see* Jacobs, K
see also Knoll, IA
see also Kopečný, M
see also Stratil, A
see also Blažková, P
Van Zeveren, A *see* Jacobs, K
Varona, L *see* Clop, A
Veenendaal, A *see* Buitenhuis, A J
see also Jennen, D G J
Vega-Pla, J L *see* Mirol, P M
Venta, P J *see* Brouillette, J A
Verspoor, E *see* Villanueva, B
Vijh, R K *see* Behl, R
Villanueva, B, Verspoor, E & Visscher, P M. Parental assignment in fish using microsatellite genetic markers with finite numbers of parents and offspring, 33
Virgili, R *see* Russo, V
Visscher, P M *see* Villanueva, B
Vögeli, P *see* Python, P

Wang, Z-G *see* Fan, B
Warren, W C *see* Kirkpatrick, B W
see also Rohrer, G A
Weimann, C *see* Lühken, G
Wernery, U *see* Mariasegaram, M
Williams, J L *see* Drögemüller, C
Wimmers, K, Chomdej, S, Ponsuksili, S & Schellander, K. Polymorphism in the porcine transforming growth factor-β1 gene, 234
Wimmers, K, Chomdej, S, Schellander, K & Ponsuksili, S. Linkage mapping of SNPs in the porcine relaxin gene, 323
Wimmers, K, Murani, E, Ponsuksili, S & Schellander, K. Sequence variation and linkage mapping of the porcine corticotropin releasing hormone (*CRH*) gene, 233
Wimmers, K, Ponsuksili, S, Bläser, U, Gellin, J & Schellander, K. Chromosomal assignments for porcine genes encoding enzymes in hepatic metabolic pathways, 255
Wimmers, K *see* Ponsuksili, S
Windon, R G *see* Beh, K J
Windsor, D *see* Ikeobi, C O N
Wise, T H *see* McCoard, S A
Wöhlke, A *see* Drögemüller, C
Womack, J E *see* Ashwell, M S
see also Lühken, G
see also Roncoleta, M
see also Takami, M
Woolliams, J A *see* Ikeobi, C O N

Xiong, T *see* Yu, M
Xiong, T-A *see* Fan, B
Xu, N *see* Thomsen, H
Xue, F *see* Sidjanin, D J

Yamada, T *see* Muramatsu, Y
Yasue, H *see* Fujisaki, S
see also Muramatsu, Y
Yeo, J S *see* Kim, K S
Yerle, M *see* Davoli, R
see also Pinton, A
see also Jacobs, K
see also Russo, V
see also Sun, H S
see also Sanz, L M
see also Yu, M
Yoneda, K *see* Takami, M
Yoshizawa, K *see* Lee, E J
Yu, M, Zhao, S, Yerle, M, Liu, B, Xiong, T & Li, K. Isolation, physical mapping and polymorphism of the porcine ferredoxin reductase (*FDXR*) gene, 394
Yu, M *see* Fan, B
Yunis, R, Heller, E D, Hillel, J & Cahaner, A. Microsatellite markers associated with quantitative trait loci controlling antibody response to *Escherichia coli* and *Salmonella enteritidis* in young broilers, 407
Zadissa, A *see* Diez-Tascón, C
Zakharov, I *see* Hill, E W
Zambonelli, P *see* Davoli, R
see also Stratil, A
Zangerl, B *see* Sidjanin, D J
Zeitlin, G *see* Atzmon, G
Zhang, Y D *see* Ramos, A M
see also Shi, X -W
see also Kim, K-I
Zhao, S *see* Yu, M
Zhao, S-H *see* Fan, B
Zhao, X-L *see* Fan, B

Keyword index

Abyssinian cats 436
AFLP 280
allotypes 309
amplified fragment length polymorphism (AFLP) 42
antibody 309, 407
assignment tests 264
association 49

BAC 211
Bayes' factor 364
Beagle 464
bovine 460
bovine blood group system 107
bovine chromosome 24 460
breed 280
broiler 407, 428
BTA1 271
Bubalus bubalis 149

CA repeat 140
casein cluster haplotypes 295
cathepsin B 123
cattle 56, 65, 118, 149, 271, 280, 351
Cervus 343
Cherax destructor 304
chicken 42, 205, 249, 428, 451
Chinese Taihu pig 422
chondrodysplasia 351
chromosomal rearrangement 69
chromosome 372
chromosome 3 56
chromosome 4 145
chromosome 5 145
chromosome evolution 56
chromosome X 178
chronic renal disorder 118
class II 196
claudin-16 deficiency 118
coat colour 301, 329, 338
comparative genomics 451
comparative map 178, 205
comparative mapping 3, 91, 249, 271
consensus linkage map. 460
cross-species amplification 343
cyclin-dependent kinase 4 145
cystatin B 123
Cytochrome *b* 304

deletion 118
D-loop 19, 169, 356
DNA microsatellites 33
DNA pooling 464
DNA pools 132
Doberman pinscher 464
donkey 169
dry-cured ham 123

e locus 309
enzyme 255
equine 301
equus 338
Equus caballus 287
erythrocyte antigen 107
Escherichia coli 441
EST 186, 372
exclusion probability 33
expressed sequence tag 255

F4ab receptor 441
F4ac receptor 441
FABGL gene 220
fat 428
fat deposition quantitative trait loci 91
fat distribution 428
fatness 155
FGFR3 351
fish 33
FISH 211, 271, 415
fluorescent *in situ* hybridization 69
fluorescent multiplex 343
follicle-stimulating hormone 178
FOS 49
F_{ST}-statistics 264

gene mapping 65, 255, 329
genetic background 407
genetic differentiation 264
genetic distance 132, 201, 280, 422
genetic diversity 169, 201, 280
genetic drift 422
genetic investigations 343
genetic polymorphism 65, 448
genetic variability 422
genome mapping 205
genomic transcript map 3
geographical cline 295
GH1 61
grand-daughter design 107
grey 329, 338

heteroduplex analysis 215
horse 196, 287, 338, 356, 455
horse breeds 264
horse genetics 329
HSA21 271
Hsap1 91
human 205, 451
hybrid recognition 264

IGHGCH2 locus 309
immune response 407
IMpRH 415
in situ hybridization 145
inbreeding coefficient 464
intersexuality 69
interval mapping 26
inversion 69

KIT 301

layer 428
Leghorn 132
linkage analysis 97, 441
linkage group 42
linkage map 107
linkage mapping 140, 415
liver 255

major histocompatibility complex 196
map 372
mapping 97, 123, 451, 455
marker generation 140
MC2R 415
MC5R 415
MC4R 155
meat production 61
meat quality 123
melanoma 338
MHC-Bubu-DRB 215
microsatellite 140, 149, 169, 201, 329, 372, 422
microsatellite markers 407
microsatellites 42, 132, 264, 441
milk proteins 295
mitochondrial DNA 19, 287
molecular markers 364
mouse 451
mtDNA 304, 356
muscular dystrophy 42

north-east Asian cattle 201

oncogene c-mos 145

parental assignment 33
PCR-RFLP 301, 309
pedigree 287
PH-20 211
phosphatase. 451
photoreceptor dysplasia 436
phylogeny 19, 356
Piemontese cattle 61
pig 3, 19, 69, 123, 145, 255
piglets 26
pigs 26, 155, 441
polymorphicism analysis 220
polymorphism 19, 61, 149, 309, 415
population genetics 287
porcine 186, 211, 372
Portuguese cattle 295

© 2002 International Society for Animal Genetics

POU1F1 61
production traits 26, 123
pseudogene 304

QTL 97, 407
quantitative trait loci (QTL) 26, 49, 56, 155, 428

rabbit 309
radiation hybrid 178
recombination rate 56
red blood cells fragility 455
reproduction 448
restriction fragment length polymorphism (RFLP) 49
retinitis pigmentosa 436
RH mapping 271, 351
Rhode Island Red 132
river buffalo 215
riverine buffalo 149

salmon 33
Scottish terrier 464
sequence 287
sheep 97
sib parentage test 364
single nucleotide polymorphism 249
single nucleotide polymorphisms 464
single-stranded conformation polymorphism 436
skeletal muscle expressed sequence tags (ESTs) 3
SLA 220
SLC7A10 (asc-1) 455
SLC7A9 (b0,+) 455
SLC12A4 (KCC1) 455
SNP 186, 455
somatic cell genetics 255
somatic cell hybrid panel 3
SPAM1 211
sperm typing 56
SSCP 169, 215
Sscr4 91
Sscr6 91
Sscr9 91
SSR 372
swine 49, 178, 186, 448

thoroughbred founder 287
tobiano 301
transcription profiling. 415
transferrin 441
Trichostrongylus colubriformis 97

yabby 304